# **Complete Summary**

#### TITLE

Standardized methods for labeling, packaging and storing medications: percentage of failures in conservation and storage of medications in the hospital pharmacy.

# SOURCE(S)

Ministry of Health. Safe practices indicators project: background, summary of methods and measurement strategies. Madrid: Ministry of Health; 2009 Feb 20. 97 p.

# **Measure Domain**

## **PRIMARY MEASURE DOMAIN**

**Process** 

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the Measure Validity page.

## SECONDARY MEASURE DOMAIN

Does not apply to this measure

## **Brief Abstract**

# **DESCRIPTION**

This measure is used to determine the percentage of failures in conservation and storage of medications in the hospital pharmacy service. The aspects assessed in a selected list of medications are: use-by date; separation of concentrates; safekeeping under lock and key; refrigeration and protection from light. In the case of antidotes the following will also be assessed: (a) in general: the existence of a list of available antidotes, location separated from other drugs; and (b) in a selected list of them: use-by dates, adequate stock, and easy (rapid) location.

#### **RATIONALE**

Improper labeling and packaging of medications are well-known causes of serious medication errors. However, the evidence shows that there are effective methods for simplifying pharmacy dispensing by standardizing the labeling of medication

containers and drawn-up syringes and the packaging of medications. Failures in conservation and storage of medications in the hospital pharmacy service increase the risk of drug-related adverse events in the entire hospital.

Main aim of indicator: to reduce the percentage of failures in conservation and storage of medications in the hospital pharmacy service.

#### PRIMARY CLINICAL COMPONENT

Failures in conservation and storage of medication; hospital pharmacy

#### **DENOMINATOR DESCRIPTION**

Total number of possible failures assessed

**Note**: The aspects assessed in a selected list of medications are: use-by date; separation of concentrates; safekeeping under lock and key; refrigeration and protection from light. In the case of antidotes the following will also be assessed: (a) in general: the existence of a list of available antidotes, location separated from other drugs; and (b) in a selected list of them: use-by dates, adequate stock, and easy (rapid) location.

#### **NUMERATOR DESCRIPTION**

Number of failures detected x 100

# **Evidence Supporting the Measure**

# **EVIDENCE SUPPORTING THE CRITERION OF QUALITY**

- A formal consensus procedure involving experts in relevant clinical, methodological, and organizational sciences
- One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

# **Evidence Supporting Need for the Measure**

## **NEED FOR THE MEASURE**

Overall poor quality for the performance measured Variation in quality for the performance measured

# **EVIDENCE SUPPORTING NEED FOR THE MEASURE**

Ministerio de Sanidad y Consumo. Indicadores de buenas practicas sobre seguridad del paciente. Resultados de su medicion en una muestra de hospitales del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p.

# **State of Use of the Measure**

## **STATE OF USE**

Current routine use

#### **CURRENT USE**

Internal quality improvement

# **Application of Measure in its Current Use**

#### **CARE SETTING**

Hospitals

# PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

**Pharmacists** 

## **LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED**

Single Health Care Delivery Organizations

# **TARGET POPULATION AGE**

Unspecified

## **TARGET POPULATION GENDER**

Either male or female

# STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

# **Characteristics of the Primary Clinical Component**

# INCIDENCE/PREVALENCE

Average percentage of failures in conservation and storage of medications in the hospital pharmacy is  $10.7\% \pm 1.8$  (95% Confidence Interval).

# **EVIDENCE FOR INCIDENCE/PREVALENCE**

Ministerio de Sanidad y Consumo. Indicadores de buenas practicas sobre seguridad del paciente. Resultados de su medicion en una muestra de hospitales

del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p.

## **ASSOCIATION WITH VULNERABLE POPULATIONS**

Unspecified

#### **BURDEN OF ILLNESS**

Unspecified

## **UTILIZATION**

Unspecified

## **COSTS**

Unspecified

**Institute of Medicine National Healthcare Quality Report Categories** 

## **IOM CARE NEED**

End of Life Care Getting Better Living with Illness Staying Healthy

## **IOM DOMAIN**

Effectiveness Safety

# **Data Collection for the Measure**

## **CASE FINDING**

Users of care only

# **DESCRIPTION OF CASE FINDING**

Hospital Pharmacy. Possible failures assessed in a selected list of drugs\*.

\*Lidocaine, Morphine, Insulin, Heparin, Electrolytes, Chlorpromazine, Selected antidotes

# **DENOMINATOR SAMPLING FRAME**

Patients associated with provider

# **DENOMINATOR INCLUSIONS/EXCLUSIONS**

#### **Inclusions**

Total number of possible failures assessed

**Note**: The aspects assessed in a selected list of medications are: use-by date; separation of concentrates; safekeeping under lock and key (Morphine); refrigeration (Insulin, selected antidotes) and protection from light (Chlorpromazine). In the case of antidotes the following will also be assessed: (a) in general: the existence of a list of available antidotes, location separated from other drugs; and (b) in a selected list of them: use-by dates, adequate stock, and easy (rapid) location.

For more detailed information, see original validation report listed in the "Companion Documents" field.

#### **Exclusions**

None

#### RELATIONSHIP OF DENOMINATOR TO NUMERATOR

All cases in the denominator are equally eligible to appear in the numerator

# **DENOMINATOR (INDEX) EVENT**

Therapeutic Intervention

#### **DENOMINATOR TIME WINDOW**

Time window is a single point in time

## **NUMERATOR INCLUSIONS/EXCLUSIONS**

## **Inclusions**

Number of failures detected x 100

## **Exclusions**

None

# MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

## **NUMERATOR TIME WINDOW**

Encounter or point in time

## **DATA SOURCE**

Special or unique data

# **LEVEL OF DETERMINATION OF QUALITY**

Individual Case

# **PRE-EXISTING INSTRUMENT USED**

None

# **Computation of the Measure**

#### **SCORING**

Rate

## **INTERPRETATION OF SCORE**

Better quality is associated with a lower score

## ALLOWANCE FOR PATIENT FACTORS

Unspecified

#### STANDARD OF COMPARISON

Internal time comparison

# **Evaluation of Measure Properties**

## **EXTENT OF MEASURE TESTING**

After pilot testing, the set of indicators has been measured in a random sample of 25 Spanish hospitals, stratified by hospital size. The main objective has been to field test the feasibility of measurement in the various settings representing real life situations in the context of the Spanish Health Care System.

Both the whole indicators validation report and the results of the baseline measurement in a sample of the Spanish National Health Service (NHS) hospitals may be accessed and downloaded from the Spanish Ministry of Health web page (in Spanish):

- Validation report
- Results of baseline measurement in Spanish NHS hospitals

# **EVIDENCE FOR RELIABILITY/VALIDITY TESTING**

Ministerio de Sanidad y Consumo. Construccion y validacion de indicadores de buenas practicas sobre seguridad del paciente. Madrid: Ministerio de Sanidad y Consumo; 2008. 178 p.

Ministerio de Sanidad y Consumo. Indicadores de buenas practicas sobre seguridad del paciente. Resultados de su medicion en una muestra de hospitales del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p.

Ministry of Health. Safe practices indicators project: background, summary of methods and measurement strategies. Madrid: Ministry of Health; 2009 Feb 20. 97 p.

# **Identifying Information**

#### **ORIGINAL TITLE**

Percentage of failures in conservation and storage of medications in the hospital pharmacy.

# **MEASURE COLLECTION**

Safe Practices Indicators Project

#### **MEASURE SET NAME**

Increase Safe Medication Use

## **MEASURE SUBSET NAME**

Standard Methods for Labeling, Packaging and Storing Medication

## **SUBMITTER**

Spanish Agency for Healthcare Quality of the Spanish Ministry of Health

## **DEVELOPER**

Grupo de Investigación sobre Gestión de la Calidad en Servicios de Salud, University of Murcia, under contract to the Spanish Ministry of Health

# **FUNDING SOURCE(S)**

Agency for Quality, Spanish Ministry of Health

#### COMPOSITION OF THE GROUP THAT DEVELOPED THE MEASURE

Saturno, Pedro J., MD, DrPH; Group Director and Project PI

Castillo, Carmen; López, M. José; Ramón, Teresa; Nurses

Carrillo, Andrés, MD; Intensive Care Specialist

Iranzo, M. Dolores; Hospital pharmacist

Soria, Victor, MD; Surgeon

Parra, Pedro, MD; Gomis, Rafael, MD; Gascón, Juan J., MD; Quality Management Specialists

## FINANCIAL DISCLOSURES/OTHER POTENTIAL CONFLICTS OF INTEREST

Project entirely financed by the Spanish Ministry of Health.

## **ADAPTATION**

Measure was not adapted from another source.

## **RELEASE DATE**

2009 Feb

## **MEASURE STATUS**

This is the current release of the measure.

# SOURCE(S)

Ministry of Health. Safe practices indicators project: background, summary of methods and measurement strategies. Madrid: Ministry of Health; 2009 Feb 20. 97 p.

## **MEASURE AVAILABILITY**

The individual measure, "Percentage of Failures in Conservation and Storage of Medications in the Hospital Pharmacy," is published in "Safe Practices Indicators Project: Background, Summary of Methods and Measurement Strategies."

For more information, contact:

- Ministry of Health and Social Policy, Paseo del Prado, 18-20, planta baja, esquina con Lope de Vega. 28014 Madrid; Phone: +34 901 400 100; Fax: +34 915 96 44 80; Web site: <a href="www.msc.es/en/home.htm">www.msc.es/en/home.htm</a>.
  OR
- Pedro J. Saturno, Facultad de Medicina, Universidad de Murcia, 30100
  Espinardo-Murcia (Spain); Phone: 868 883 948; Fax: +34 868 883947; E-mail: <a href="mailto:psaturno@um.es">psaturno@um.es</a>; Web site: <a href="http://www.calidadsalud.com">http://www.calidadsalud.com</a>.

#### **COMPANION DOCUMENTS**

The following are available:

- Ministerio de Sanidad y Consumo. Construccion y validacion de indicadores de buenas practicas sobre seguridad del paciente. Madrid: Ministerio de Sanidad y Consumo; 2008. 178 p. This document is available in Portable Document Format (PDF) from the Ministry of Health and Social Policy Web site (in Spanish).
- Ministerio de Sanidad y Consumo. Indicadores de buenas practicas sobre seguridad del paciente. Resultados de su medicion en una muestra de hospitales del sistema nacional de salud Español. Madrid: Ministerio de Sanidad y Consumo; 2008. 95 p. This document is available in PDF from the Ministry of Health and Social Policy Web site (in Spanish).

# **NQMC STATUS**

This NQMC summary was completed by ECRI Institute on September 11, 2009. The information was verified by the measure developer on December 23, 2009.

#### COPYRIGHT STATEMENT

No copyright restrictions apply.

#### Disclaimer

# **NQMC DISCLAIMER**

The National Quality Measures Clearinghouse™ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria which may be found at

http://www.qualitymeasures.ahrq.gov/about/inclusion.aspx.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. The inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.

Copyright/Permission Requests

Date Modified: 3/1/2010

